TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3189 (6-51)

LIGHTSHIP OR LIGHT STATION LOG

MONTHLY SUMMARY

(Fill Out on Last Day of Month)

U. S. COAST GUARD ROSE ISLAND LIGHT STATION MONTH OF JUNE

SUPPLIES *(Light Station Only)*

	FUEL	DIESEL OIL, GAL.	GASOLINE, GAL.	LUB. OIL, GAL.	WATER, GAL.		
RECEIVED	1,557		335	22	10,000		
EXPENDED	322		50	1	5,300		
REMAINING	1,235		285	21	4,700		

SUMMARY OF OPERATION *(Low Visibility, Fog and Calibration)*

	FOG SIGNAL	RADIO BEACON		
		LOW VISIBILITY	REGULAR CALIBRATION	SPECIAL BEACON CALIBRATION
TOTAL PREVIOUS MONTHS OF YEAR	1,066.50 HR.	HR.	HR.	HR.
TOTAL THIS MONTH	135.30 HR.	HR.	HR.	HR.
TOTAL YEAR TO DATE	1,202.20 HR.	HR.	HR.	HR.

GENERAL REMARKS ON CONDITION AND OPERATION OF UNIT
(Use Reverse Side for Additional Remarks. Explanation shall be made when "fair" or "poor" is checked)

	EXCELLENT	GOOD	FAIR	POOR	REMARKS
BUILDINGS OR HULL		X			
ILLUMINATING APPARATUS	X				
FOG SIGNAL		X			
RADIOBEACON					
MACHINERY					
BOATS (BY NO.)					
16585			X		
VEHICLES (BY NO.)					

NUMBER DISABLING INJURIES REPORTED 00 DAYS LOST 00 ACCIDENTAL DAMAGE TO PROPERTY, $ 00

OTHER AIDS TO NAVIGATION FOR WHICH RESPONSIBLE

NAME	LL. NO.	CONDITION	REMARKS
GULL ROCKS L/S	547	GOOD	

(Use Other Side if Necessary)

CERTIFIED TO BE CORRECT

VINCENT R. ROY BM-1
(Officer in Charge)

U. S GOVERNMENT PRINTING OFFICE 16—63539-2

1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD ROSE ISLAND LIGHT STATION

DATE 1, June 1961 (Insert day of week, day, month, year) LOCATION NEWPORT, RHODE ISLAND

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SW	2	2974		48	BC	CC	7	6		
0400	SW	2	2986		76	Z			4		
0800	SW	2	2993		56	Z			7		
1200	SSW	2	2992		60	Z			7		
1600	SW	2	2988		58	Z			7		
2000	SW	2	2984		56	Z			7		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1,557	22	10,000
EXPENDED	4	–	100
REMAINING	1,553	22	9,900

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0500 Time Lighted 2000

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH				

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START 0900 TIME STOP 1000

RADIOBEACON TEST

TIME START TIME STOP

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-Checked all vis. A/N
0400-Checked all vis. A/N
0500-Secured Main Light
0800-Morning Colors Turn To Station Work
0900-Started Station Machinery
1000-Secured Station Machinery
1200-Secured for Chow
1230-Turned To Station Work
1745- U.S.C.G. Cutter Hornbeam Anchored
1800-Started Taken On Water
1950-Secured Taken On Water
2000-Evening Colors , Turned On Main Light
Checked Vis. A/N

L G White

CERTIFIED TO BE CORRECT

Vincent R. Roy BM-1
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

2

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD ROSE ISLAND LIGHT STATION

DATE "2, JUNE 1961 (Insert day of week, day, month, year) LOCATION NEWPORT, RHODE ISLAND

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SW	3	2978		54	B-2 Z	—	—			
0400	SW	4	2971		50	B-2 Z	—	—			
0800	SW	4	2964		60	B-2 Z	—	—	6		
1200	SW	4	2966		62	B-2 Z	—	—			
1600	SW	4	2966		62	B-2 Z	—	—	6		
2000	SW	4	2964		60	B-Z	—	—	6		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1553	22	9,900
EXPENDED	10	-	250
REMAINING	1543	22	9650

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	2/	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0500 Time Lighted 2000

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH				

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START 0915 TIME STOP 1000

RADIOBEACON TEST

TIME START TIME STOP

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-Checked all vis. A/N
0400-Checked all vis. A/N
0500-Secured Main Light
0800-Morning Colors Turned to Station Work
0900- White Louis G. EN-2 DEparted On Liberty
0915- Turned overnStation Machinery
1015- Secured Station Machinery
1200-Secured Station Work For Chow
1230-Turned To Station Work
1600-Secured Station Work Checked All Vis. A/N
2000-Evening Colors Turned On Main Light Checked All Vis. A/N

Vincent R. Roy

CERTIFIED TO BE CORRECT

Vincent R. Roy BM-1
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD ROSE ISLAND LIGHT STATION

DATE 3, JUNE 1961 (Insert day of week, day, month, year)

LOCATION NEWPORT, RHODE ISLAND

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SW	2	2966		54	B-Z Z			6		
0400	SW	2	2970		56	B-Z Z			6		
0800	SW	2	2976		62	B-Z Z			6		
1200	S	2	2972		67	B-C	NS	8	6		
1600	S	2	2974		70	B-C	NS	8	6		
2000	W	2	2976		64	BC	NS	8	6		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1543	22	9650
EXPENDED	10	-	250
REMAINING	1533	22	9,400

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0500 Time Lighted 2000

FOG SIGNAL (Low visibility only) / RADIOBEACON (Low visibility and calibration time only)

FOG SIGNAL TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE	RADIOBEACON TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.				HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY					TOTAL FOR DAY								
TOTAL FOR MONTH					TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START 1100 TIME STOP 1200

RADIOBEACON TEST

TIME START TIME STOP

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-Checked all vis. A/N
0400-Checked all vis. A/N
0500-Secured Main Light
0800-Colors turned to station
1100-Started Station Machinery
1200-Secured Station Machinery,Chow
1300-Turned To Station Work
1600-Checked All Vis. A/N
1700-Chow
2000-Evening Colors, Turned On Main Light
2100-Secured Station Work

Vincent R. Roy

CERTIFIED TO BE CORRECT

Vincent R. Roy BM-1
(Officer in Charge)

4

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD ROSE ISLAND LIGHT STATION

DATE 4,June 1961 (Insert day of week, day, month, year) LOCATION NEWPORT, RHODE ISLAND

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	W	2	2982		64	BC	N9	7	6		
0400	Calm		2988		66	B-C	Cl	6	8		
0800	calm		2994		72	BC	Cl	2	8		
1200	SW	2	2992		74	BC	cl	2	8		
1600	S	2	2990		62	BC	cl	2	8		
2000	S	2	2996		60	BC	cl	2	8		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1533	22	9400
EXPENDED	10	—	100
REMAINING	1523	22	9300

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0500 Time Lighted 20:00

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRES-SURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH				

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START 0800 TIME STOP 0900

RADIOBEACON TEST

TIME START TIME STOP

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-Checked All Vis. A/N
0400-Checked All Vis. A/N
0500-Secured Main Light
0800-Colors, Turned To Station Work
0810-Started Station Machinery
0900-Secured Station Machinery
1200-Chow
1230-Turned To Station Work
1600-Checked All Vis. A/N
2000-Secured Station Work,Evening Colors Turned On Main Light

L. G. White

CERTIFIED TO BE CORRECT

Vincent R. Roy BM-1
(Officer in Charge)

5

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD ROSE ISLAND LIGHT STATION

DATE 5, June 1961 (Insert day of week, day, month, year) LOCATION NEWPORT, RHODE ISLAND

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SW	2	30:00		62	BC	Ci	2	8		
0400	SW	2	2997		60	BC	Ci	2	8		
0800	SW	2	2998		62	BC	Ci	2	8		
1200	SSW	2	3000		70	B			8		
1600	SSW	3	2998		64	B			8		
2000	SW	3	2999		62	B			8		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1,523	22	9300
EXPENDED	10	-	200
REMAINING	1513	22	9100

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0500 Time Lighted 2000

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH				

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START 0810 TIME STOP 0910

RADIOBEACON TEST

TIME START TIME STOP

(OVER)

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-Checked All Vis. A/N
0400-Checked All Vis. A/N
0500-Secured Main Light
0800-Colors, Turned To Station Work
0810-Started Station Machinery
0910-Secured Station Machinery
1000-Roy BM-1 Departed Station For Newport To Pick Up Mail
1200-Chow
1230-Turned To Station Work
1600-Checked All Vis. A/N
1700-Roy BM-1 Returned To Station
2000-Evening Colors, Turned On Main Light , Checked All Vis. A/N

L G White

CERTIFIED TO BE CORRECT

Vincent R. Roy BM-1
(Officer in Charge)

6

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD ROSE ISLAND LIGHT STATION

DATE 6, June 1961 (Insert day of week, day, month, year) LOCATION NEWPORT, RHODE ISLAND

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SW	3	2988		58	BC	NS	2	8		
0400	SW	3	2994		60	BC	NS	4	8		
0800	SW	2	2990		68	BC	AS	6	8		
1200	SW	2	2984		70	BC	Cl	5	8		
1600	SW	2	2982		70	BC	Cl	5	8		
2000	SW	2	2983		68	BC	Cl	5	8		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1513	22	9100
EXPENDED	10	-	200
REMAINING	1503	22	8900

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0500 Time Lighted 2000

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH				

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START 1000 TIME STOP 1100

RADIOBEACON TEST

TIME START TIME STOP

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-Checked All Vis. A/N
0400-Checked All Vis. A/N
0500-Secured Main Light
0800-Colors, Turned To Station Work
1000-Started Station Machinery
1100-Secured Station Machinery
1200-Chow
1230-Turned To Station Work
1600-Secured Station Work, Checked All Vis. A/N
2000-Evening Colors, Turned On Main Light Checked All Vis. A/N

L G White

CERTIFIED TO BE CORRECT

Vincent R Roy BM-1
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

7

100

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD ROSE ISLAND LIGHT STATION

DATE 7, June 1961 (Insert day of week, day, month, year) LOCATION NEWPORT, RHODE ISLAND

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SW	2	2988		58	BC	Cl	2	8		
0400	E	2	2996		56	BC	Cl	3	8		
0800	calm		3006		65	B/C	Cl	4	8		
1200	calm		3004		70	BC	Cl	3	8		
1600	S	1	2996		68	BC	Cl	3	8		
2000	S	1	2994		62	BC	Cl	3	8		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1500	22	8900
EXPENDED	15	-	200
REMAINING	1488	22	8700

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0500 Time Lighted 2000

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRES-SURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH				

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START 1800 TIME STOP 1900

RADIOBEACON TEST

TIME START TIME STOP

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

000 0000-Checked All Vis. A/N
0400-Checked All Vis A/N
0500-SECURED MAIN LIGHT
0800-MORNING COLORS, TURNED TO STATION WORK
1200-SECURED FOR CHOW
1230-TURNED TO STATION WORK
1600-CHECKED ALL VIS. A/N
1800-STARTED STATION MACHINERY
1900-SECURED STATION MACHINERY
1930-CALLED CASTEL HILL SAIL BOAT AGROUND NORTH END OF ROSE ISLAMD
2000-GULL ROCKS LIGHT INOPERATIVE,TURNED ON MAIN LIGHT COLORS
2005-CREW FROM ROSE ISLAND DEPARTED FOR GULL ROCKS
2015-CREW .RETURNED ROSE ISLAND GULL ROCKS WACHING PROPERLY

L G White

CERTIFIED TO BE CORRECT

Vincent R. Roy BM-1
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

8

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD ROSE ISLAND LIGHT STATION

DATE 8 JUNE, 1961 (Insert day of week, day, month, year) LOCATION NEWPORT, RHODE ISLAND

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	S	1	2992		60	BC	NS	6	8		
0400	SW	2	2990		58	BC	NS	7	8		
0800	SW	2	2988		58	OF	NS	10	6		
1200	SW	2	2979		62	OF	NS	10	3		
1600	SW	2	2972		60	OF	NS	10	2		
2000	SW	2	2970		58	OF	NS	10	2		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1488	22	8700
EXPENDED	15	1	200
REMAINING	1473	21	8500

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0500 Time Lighted 1330

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
0830	0930	1		15
1000	1230	2	30	15
1330	2400	10	30	15
TOTAL FOR DAY		14		15
TOTAL FOR MONTH		14		

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-CHECKED ALL VIS. A/N
0400-CHECKED ALL VIS. A/N
0500-SECURED MAIN LIGHT
0800-MORNING COLORS, TURNED TO STATION WORK
0830-STARTED FOG HORN MAIN LIGHT AND GULL ROCKS BELL
0930-SECURED FOG HORN MAIN LIGHT AND GULL ROCKS BELL
1030-STARTED FOG HORN MAIN LIGHT AND GULL ROCKS BELL
1200-SECURED FOR CHOW
1230-SECURED FOG HORN MAIN LIGHT AND GULLROCKSBELL, TURNED TO STATION WORK
1330-STARTED FOG HORN MAIN LIGHT AND GULL ROCKS BELL
1545-FIXED GULL ROCKS LIGHTLIGHT AND GULL ROCKS BELL
1600-SECURED STATION WORK
2000-EVENING COLORS CHECKED VIS A/N

L G White

CERTIFIED TO BE CORRECT

Vincent R. Roy BM-1
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

9

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD ROSE ISLAND LIGHT STATION

DATE 9 JUNE, 1961 LOCATION NEWPORT, RHODE ISLAND
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	S	2	2970		56	OF	NS	10	2		
0400	S	2	2969		55	OF	NS	10	1		
0800	Calm		2969		64	OF	NS	8	5		
1200	SW	1	2974		67	OF	NS	7	5		
1600	SW	3	2974		64	OF	NS	10	5		
2000	SSW	3	2979		58	BC	NS	8	8		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1473	21	8500
EXPENDED	15	-	200
REMAINING	1458	21	8300

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0830 Time Lighted 2000

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRES-SURE
		HR.	MIN.	
0000	0830	8	30	15
0900	1330	4	1/2	15
1430	1630	2		15
TOTAL FOR DAY		15		15
TOTAL FOR MONTH		29		

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START 1000 TIME STOP 1100

RADIOBEACON TEST

TIME START TIME STOP

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-STARTED FOG HORN MAIN LIGHT AND GULL ROCK BELL
0400-EHECKED ALL VIS. A/N
0800-MORNING COLORS, TURNED TO STATION WORK
0830-SECURED FOG HORN MAIN LIGHT AND GULL ROCKS BELL
0900-STARTED FOG HORN MAIN LIGHT AND GULL ROCKS BELL
1200-CHOW
1230-TURN TO
1330-SECURED FOG HORN MAIN LIGHT AND GULL ROCKS BELL
1445-STARTED FOG HORN MAIN LIGHT AND GULL ROCKS BELL
1600-SECURED STATION WORK, CHECKED ALL VIS. A/N
1620-SECURED FOG HORN MAIN LIGHT AND GULL ROCKS BELL
2000-EVENING COLORS TURNED ON MAIN LIGHT, CHECKED ALL VIS. A/N

L G White

CERTIFIED TO BE CORRECT

Vincent R. Roy BM-1
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD ROSE ISLAND LIGHT STATION

DATE 10 JUNE, 1961 (Insert day of week, day, month, year) LOCATION NEWPORT ,RHODE ISLAND

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SSW	2	2978		56	BC	NS	10	8	–	
0400	SSW	2	2977		58	OF	NS	10	3	–	
0800	SSW	2	2976		62	O	NS	10	7	–	
1200	SW	2	2970		64	O/F	NS	10	0	–	
1600	SW	2	2975		62	BC	AS	7	8	–	
2000	SW	2	2980		60	BC	AS	6	8		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1458	21	8300
EXPENDED	15	—	200
REMAINING	1443	21	8,100

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0500 Time Lighted 2000

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
0200	0900	7		15
1030	1400	3	30	15
TOTAL FOR DAY		10	30	
TOTAL FOR MONTH		39	30	15

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START 0915 TIME STOP 1015

RADIOBEACON TEST

TIME START TIME STOP

(OVER)

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-CHECKED ALL VIS. A/N
0200-STARTED FOG HORN AND GULL ROCKS BELL
0800-MORNING COLORS TURNED TO STATION WORK
0900-SECURED FOG HORN MAIN LIGHT AND GULL ROCKS BELL
HELD STATION INSPECTION
0915-STARTED STATION MA CHINERY
1015-SECURED STATION MACHINERY
1030-STARTED STATION FOG HORN MAIN LIGHT AND GULL ROCKS BELL
1200-CHOW
1230-TURN TO
1400-SECURED FOG HORN MAIN LIGHT AND GULL ROCKS BELL
WHITE EN-2 DEPARTED ON LIBERTY, SUTTON SN. RETURNED FROM LIBERTY
1630-SECURED FROM STATION WORK
2000-EVENING COLORS TURNED ON MAUN LIGHT

P. Sutton SN

CERTIFIED TO BE CORRECT

Vincent R. Roy BM-1
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

11

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD ROSE ISLAND LIGHT STATION

DATE 11 JUNE, 1961 (Insert day of week, day, month, year) LOCATION NEWPORT, RHODE ISLAND

TIME	WIND DIR.	WIND FORCE	BAROMETER	TEMP. °F. WET	TEMP. °F. DRY	WEATHER	CLOUDS FORM	CLOUDS AMT.	VIS.	SEA DIR.	SEA HEIGHT IN FT.
0000	SW	2	29.85		42	2	AS	8	7	—	—
0400	SW	2	29.90		62	2	AS	6	8	—	—
0800	—	—	29.95		66		—	—	8	—	—
1200	—	—	30.00		74	O-F	—	—	8		
1600	S	2	29.98		72	O-F	—	—	5	—	—
2000	SW	1	29.96.		70	O-F	—	—	0		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1,443	21	8,100
EXPENDED	0	—	200
REMAINING	1,443	21	7,900

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0500 Time Lighted 2000

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED HR.	SIGNAL OPERATED MIN.	AIR PRESSURE
1000	1200	2		15
1400	1430		30	15
1530	1800	2	30	15
2000	2100	1		15
2200	0000	2		15
TOTAL FOR DAY		8	60	
TOTAL FOR MONTH		47		

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG HR.	LOW VISIBILITY AND FOG MIN.	ANT. CUR.	CALIBRATION SERVICES REGULAR RADIOBEACON HR.	REGULAR RADIOBEACON MIN.	SPECIAL CALIB. BEACON HR.	SPECIAL CALIB. BEACON MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START 0900 TIME STOP 1000

RADIOBEACON TEST

TIME START TIME STOP

(OVER)

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-CHECKED ALL VIS. A/N
0400-CHECKED ALL VIS A/N
0500-SECURED MAIN LIGHT
0800-MORNING COLORS, TURNED TO STATION WORK
1000-STARTED FOG HORN MAIN LIGHT AND GULL ROCK BELL
1200-SECURED FOG HORN MAIN LIGHT AND GULL ROCKS BELL
CHOW
1230-TURNED TO STATION WORK
1400-STARTED FOG HORN MAIN LIGHT AND GULL ROCKS BELL
1430-SECURED FOG HORN MAIN LIGHT AND GULL ROCKS BELL
1530-STARTED FOG HORN MAIN LIGHT AND GULL ROCKS BELL
1800-SECURED FOG HORN MAIN LIGHT AND GULL ROCKS BELL
2000-STARTED FOG HORN MAIN LIGHT AND GULL ROCKS BELL
EVENING COLORS
2100-SECURED FOG HORN GULL ROCKS BELL
2200-TURNED ON FOG HORN AND GULL ROCKS BELL

R. Sutton 84

CERTIFIED TO BE CORRECT

Vincent R. Doy BM-1
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD ROSE ISLANDLIGHT STATION

DATE 12 JUNE 1961 (Insert day of week, day, month, year) LOCATION NEWPORT RHODE ISLAND

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SW	1	29.95	—	68	O/F	NS	10	0	—	—
0400	SW	1	2.9.94	—	68	O/F	NS	10	0	—	—
0800	SW	1	29.92	—	66	O/F	NS	10	0	—	—
1200	Calm		29.91	—	75	O/F	NS	10	2	—	—
1600	S	2	29.85	—	71	O	NS	10	7	—	—
2000	CALM		29.85	—	70	O	NS	10	8		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1,443	21	7,900
EXPENDED	15	—	200
REMAINING	1,428	21	7,700

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 1200 Time Lighted 2000

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
0000	1200	12		15
TOTAL FOR DAY		12		
TOTAL FOR MONTH		59		

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START 0900 TIME STOP 1000

RADIOBEACON TEST

TIME START TIME STOP

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-CHECKED ALL VIS. A/N
0400-CHE CKED ALL VIS. A/N
0800-MORNING COLORS TURNED TO STATION WORK
0900-STARTED STATION MACHINERY
1000-SECURED STATION MACHINERY
1200-SECURED FOG HORN AND MAIN LIGHT , GULL ROCKS BELL
1230-SECURED FOR CHOW
1330=TURNED TO STATION WORK
1630-SECURED FROM STATION WORK
2000-EVENING COLORS TURNED ON MAIN LIGHT

R. Sutton SN

CERTIFIED TO BE CORRECT

Vincent R. Roy BM-1
(Officer in Charge)

13

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD ROSE ISLAND LIGHT STATION

DATE 13 JUNE 1961 LOCATION NEWPORT RHODE ISLAND
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	CALM		29.86		70	B			8		
0400	CALM		29.88		70	B			8		
0800	SW	2	29.90		70	B			8		
1200	SW	1	29.90		74	B	—	—	8		
1600	SW	2	29.85		70	BC	AS	3	8		
2000	SW	3	29.80		68	BC	AS	4	8		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1,428.	21	7,700
EXPENDED	15	—	200
REMAINING	1,413	21	7,500

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0830 Time Lighted 2000

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
0530	0830	3		15
TOTAL FOR DAY		3		
TOTAL FOR MONTH		62		

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START 0900 TIME STOP 1000

RADIOBEACON TEST

TIME START TIME STOP

(OVER)

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-CHECKED ALL VIS. A/N
0400-CHECKED ALL VIS. A/N
0500-SECURED MAIN LIGHT
0530-STARTED FOG HORN MAIN LIGHT AND GULL ROCKS BELL
0800-MORNING COLORS TURNED TO STATION WORK
0830-SECURED FOG HORN MAIN LIGHT AND GULL ROCKS BELL
0900-STARTED STATION MACHINERY
1000-SECURED STATION MACHINERY
1200-SECURED FOR CHOW
1230-TURNED TO STATION WORK
1600-SECURED STATION WORK
2000-EVENING COLORS TURNED ON MAIN LIGHT

R. Sutton SN

CERTIFIED TO BE CORRECT

Vincent R. Roy BM-1
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

14

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD ROSE ISLAND LIGHT STATION

DATE 14 JUNE 1961 (Insert day of week, day, month, year) LOCATION NEWPORT RHODE ISLAND

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SW	1	29.78	[illegible]	63	B	—	—	8		
0400	SW	3	29.75	[illegible]	61	B	—	—	8		
0800	S	2	29.73	—	66	BC	AS	—	6		
1200	S	2	2972	—	73	BC	AS	—	6		
1600	NE	4	2975	—	62	O	AS	10	7		
2000	NE	3	2978		60	R	NS	10	7		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1,413	21	7,500
EXPENDED	10	—	200
REMAINING	1403	21	7300

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0900 Time Lighted 2000

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
0400	0900	5	—	15
TOTAL FOR DAY		5		
TOTAL FOR MONTH		67		

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START 0900 TIME STOP 1000

RADIOBEACON TEST

TIME START TIME STOP

(OVER)

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-CHECKED ALL VIS. A/N
0400-CHECKED ALL VIS A/NSTARTED FOG HORN AND GULL ROCKS BELL
0800-MORNING COLORS TURNED TO STATION WORK
0900-SECURED FOG HORN MAIN LIGHT AND GULL ROCKS BELL
0905-STARTED STATION MACHINERY
1000-SECURED STATION MACHINERYWHITE EN-2 RETURNED FROM LIBERTY
1010-ROY BM-1DEPARTED ON LIBERTY
1200-SECURED FOR CHOW
1230-TURN TO
1600-SECURED STATION WORK CHECKED ALL VIS. A/N
2000-EVENING COLORS, TURNED ON MAIN LIGHT

R. Sutton SN

CERTIFIED TO BE CORRECT

Vincent R Roy BM-1
(Officer in Charge)

15

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD ROSE ISLAND LIGHT STATION

DATE 15 JUNE 1961 (Insert day of week, day, month, year) LOCATION NEWPORT RHODE ISLAND

TIME	WIND DIR.	WIND FORCE	BAROMETER	TEMP. °F. WET	TEMP. °F. DRY	WEATHER	CLOUDS FORM	CLOUDS AMT.	VIS.	SEA DIR.	SEA HEIGHT IN FT.
0000	NE	2	2980		58	R	NS	8	8		
0400	N	2	2984		60	B/C	NS	4	8		
0800	N	2	2988		62	B/C	AS	3	8		
1200	N	2	2992		64	B/C	AS	5	8		
1600	N	2	2996		70	B/C	AS	3	8		
2000	N	2	3006		60	BC	AS	5	8		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1403	21	7300
EXPENDED	15	–	200
REMAINING	1388	21	7100

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0500 Time Lighted 2000

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED HR.	SIGNAL OPERATED MIN.	AIR PRESSURE
TOTAL FOR DAY				
TOTAL FOR MONTH				

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG HR.	LOW VISIBILITY AND FOG MIN.	ANT. CUR.	CALIBRATION SERVICES REGULAR RADIOBEACON HR.	CALIBRATION SERVICES REGULAR RADIOBEACON MIN.	CALIBRATION SERVICES SPECIAL CALIB. BEACON HR.	CALIBRATION SERVICES SPECIAL CALIB. BEACON MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START 0900 TIME STOP 1000

RADIOBEACON TEST

TIME START 1000 TIME STOP

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-CHECKED ALL VIS. A/N
0400-CHECKED ALL VIS. A/N
0500-SECURED MAIN LIGHT
0800-MORNING COLORS TURNED TO STATION WORK
0900-STARTED STATION MACHINERY
1000-SECURED STATION MACHINERY
1100-DEPARTED STATION FOR NEWPORT TO PICK UP DISTRICT CIVIL ENGINEER
1125 RETURNED TO STATION
1200-SECURED FOR CHOW
1230-TURNED TO
1600-CHECKED ALL VIS. A/N
1630-SECURED STATION WORK
1715- DEPARTED FOR NEWPORT WITH DISTRICT CIVIL ENGINEER
1735- RETURNED TO STATION
2000-EVENING COLORS TURNED ON MAIN LIGHT

L G White

CERTIFIED TO BE CORRECT

Vincent R Roy BM-1
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

16

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD ROSE ISLAND LIGHT STATION

DATE 16 JUNE 1961 (Insert day of week, day, month, year) LOCATION NEWPORT, RHODE ISLAND

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	N	1	308		60	B/C	C1	2	8		
0400	N	1	3010		62	B/C	C1	2	8		
0800	N	1	3012		68	B/C	C1	2	8		
1200	N	1	3012		70	B/C	C1	2	8		
1600	SW	2	3008		64	B/C	C1	2	8		
2000	SW	2	30.12		58	B	—	—	8		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1388	21	7100
EXPENDED	15	—	200
REMAINING	1373	21	6900

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0500 Time Lighted 2000

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH				

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START 0900 TIME STOP 1000

RADIOBEACON TEST

TIME START TIME STOP

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-CHECKED ALL VIS. A/N
0400-CHECKED ALL VIS. A/N
0500-SECURED MAIN LIGHT
0800-MORNING COLORS TURNED TO STATION WORK
0900-DEPARTED FOR NEWPORT TO PICK UP DISTRICT CIVIL ENGINEER
0923-RETURNED TO STATION
1200-CHOW
1230-TURNED TO
1600-CHECKED ALL VIS. A/N
1730-DEPARTED FOF NEWPORT WITH DISTRICT CIVIL ENGINEER
1800-RETURNED TO STATION SECURED STATION WORK
2000-EVENING COLORS TURNED ON MAIN LIGHT CHECKED ALL VIS. A/N

L A White

CERTIFIED TO BE CORRECT

Vincent R Roy BM-1
(Officer in Charge)

17

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD ROSE ISLAND LIGHT STATION

DATE 17 JUNE 1961
(Insert day of week, day, month, year)

LOCATION NEWPORT, RHODE ISLAND

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SW	1	2994		57	B	—	—	8		
0400	SW	1	3012		65	B	—	—	8		
0800	SW	1	3012		68	B	—	—	8		
1200	SW	2	3010		73	B	—	—	8		
1600	SW	2	3008		69	B			8		
2000	SW	2	3003		64	B			8		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1373	21	6,900
EXPENDED	15	—	100
REMAINING	1358	21	6800

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0500 Time Lighted 2000

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH				

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START 1000 TIME STOP 1100

RADIOBEACON TEST

TIME START TIME STOP

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-CHECKED ALL VIS. A/N
0400-CHECKED ALL VIS. A/N
0500-SECURED MAIN LIGHT
0800-MORNING COLORS TURNED TO STATION WORK
1000-STARTED STATION MACHINERY
1100-SECURED STATION MACHINERY
1200-CHOW
1230-TURNED TO STATION WORK
1600-CHECKED ALL VIS A/N SECURED STATION WORK
2000-EVENING COLORS TURNED ON MAIN LIGHTCHECKED ALL VIS. A/N

L G White

CERTIFIED TO BE CORRECT

Vincent R. Roy BM-1
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

18

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD ROSE ISLAND LIGHT STATION

DATE 18 JUNE 1962 (Insert day of week, day, month, year) LOCATION NEWPORT, RHODE ISLAND

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SW	2	3002		60	B			8		
0400	SW	2	3001		58	B			8		
0800	SW	2	30:00		76	B			8		
1200	SW	2	2998		73	B			8		
1600	SW	2	2992		70	B			8		
2000	SW	2	2994		62	B			8		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1358	21	6800
EXPENDED	15	–	200
REMAINING	1343	21	6600

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0500 Time Lighted 2000

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRES-SURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH				

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START 0900 TIME STOP 1000

RADIOBEACON TEST

TIME START TIME STOP

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-CHECKED ALL VIS. A/N
0400-CHECKED ALL VIS. A/N
0500-SECURED MAIN LIGHT
0800-MORNING COLORS TURNED TO STATION WORK
0900-STARTED STATION MACHINERY
1000-SECURED STATION MACHINERY
1200-CHOW
1230-TURN TO
1600-SECURED WORK CHECKED ALL VI S A/N
2000-EVENING COLORS TURNED ON MAIN LIGHT

L G White

CERTIFIED TO BE CORRECT

Vincent R. Roy BM-1
(Officer in Charge)

19

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD ROSE ISLAND LIGHT STATION

DATE 19 JUNE 1961 LOCATION NEWPORT, RHODE ISLAND
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SW	2	2993		60	B			8		
0400	S	2	2992		60	B			8		
0800	S	1	2992		72	B			8		
1200	SW	2	2990		72	B			8		
1600	SW	3	29.90		72	B			8		
2000	SW	2	29.90		62	B.			8		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1343	21	6600
EXPENDED	10	-	200
REMAINING	1333	21	6400

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0500 Time Lighted 2000

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH				

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START 0900 TIME STOP 1000

RADIOBEACON TEST

TIME START TIME STOP

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-CHECKED ALL VIS. A/N
0400-CHECKED ALL VIS. A/N
0500-SECURED MAIN LIGHT
0800-MORNING COLORS TURNED TO STATION WORK
0900-STARTED STATION MACHINERY
1000-SECURED STATION MACHINERY
1200-SECURED FOR CHOW
1230-TURNED TO
1600-CHECKED ALL VIS. A/N SECURED STATION WORK
2000-EVENING COLORS TURNED ON MAIN LIGHT

L E White

CERTIFIED TO BE CORRECT

Vincent R. Roy BM-1
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

20

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD ROSE ISLAND LIGHT STATION

DATE 20 JUNE 1961 (Insert day of week, day, month, year) LOCATION NEWPORT, RHODE ISLAND

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SW	2	2992		60	B			8		
0400	SW	2	2992		63	B			8		
0800	SW	2	2994		70	B			8		
1200	SW	2	2993		69	B			8		
1600	SW	2	2992		68	B			8		
2000	S	2	29.93		68	B			8		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1333	21	6400
EXPENDED	10	—	200
REMAINING	1323	21	6200

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0500 Time Lighted 2000

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH				

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START 0900 TIME STOP 1000

RADIOBEACON TEST

TIME START TIME STOP

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-CHECKED ALL VIS A/N
0400-CHECKED ALL VIS A/N
0500-SECURED MAIN LIGHT
0800-MORNING COLORS TURNED TO STATION WORK
1200-CHOW
1230-TURNED TO
1600-SECURED STATION WORK CHECKED ALL VIS. A/N
2000-EVENING COLORS TURNED ON MAIN LIGHT

L G White

CERTIFIED TO BE CORRECT

Vincent R. Roy BM-1
(Officer in Charge)

21

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD ROSE ISLAND LIGHT STATION

DATE 21 JUNE 1961 (Insert day of week, day, month, year) LOCATION NEWPORT, RHODE ISLAND

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	S	2	29.95		68	BC	AS/ST	8	8		
0400	S	3	29.98		68	BC	AS/ST	8	8		
0800	S	4	30.00	—	68	BC	AS/ST	8	8		
1200	S	4	3000		74	BC	AS/ST	8	8		
1600	S	4	3000		66	BC	AS/ST	8	8		
2000	SE	4	2994		64	BC	HS/ST	8	8		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1323	21	6200
EXPENDED	13	-	200
REMAINING	1310	21	6000

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0500 Time Lighted 2000

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRES-SURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH				

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START 0900 TIME STOP 1000

RADIOBEACON TEST

TIME START TIME STOP

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-CHECKED ALL VIS A/N
0400-CHECKED ALL VIS. A/N
0500-SECURED MAIN LIGHT
0800-MORNING COLORS, TURN TO STATION WORK
0900-STARTED STATION MACHINERY
1000-SECURED STATION MACHINERY
1200-SECURED FOR CHOW
1230-TURNED TO STATION WORK
1630-SECURED FROM STATION WORK CHECKED ALL VIS. A/N
2000-TURNED ON MAIN LIGHT
2121-EVENING COLORS

R. Sutton SA

CERTIFIED TO BE CORRECT

Vincent R. Roy
(Officer in Charge)

22

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD ROSE ISLAND LIGHT STATION

DATE 22 JUNE, 1961 (Insert day of week, day, month, year) LOCATION NEWPORT, RHODE ISLAND

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SSE	4	2988		60	B/C	AS	8	8		
0400	SSE	4	2984		60	B/C	AS	8	8		
0800	SSE	4	2982		62	O/F	NS	10	4		
1200	S	4	2976		66	O/F	NS	10	3		
1600	S	4	2978		67	O/F	NS	10	3		
2000	SW	1	29.80		63	O/F	NS	10	0		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1310	21	6000
EXPENDED	10	—	200
REMAINING	1300	21	5800

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0500 Time Lighted 1000

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
0845	0930		45	15
1000	2400	14	—	15
TOTAL FOR DAY		14	30	
TOTAL FOR MONTH		81	30	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START 0900 TIME STOP 1000

RADIOBEACON TEST

TIME START TIME STOP

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-CHECKED ALL VIS. A/N
0400-CHECKED ALL VIS. A/N
0500-SECURED MAIN LIGHT
0800-MORNING COLORS, TURN TO STATION WORK
0845-STARTED FOG HORN MAIN LIGHT AND GULL RKS. BELL
0930-SECURED FOG HORN MAIN LIGHT AND GULL RKS. BELL
1000-STARTED FOG HORN MAIN LIGHT AND GULL RKS. BELL
1200-CHOW
1230-TURN TO
1600-SECURED STATION WORK
2000-EVENING COLORS

L G White

CERTIFIED TO BE CORRECT

Vincent R. Roy
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

23

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD ROSE ISLAND LIGHT STATION

DATE 23 JUNE, 1961 LOCATION NEWPORT, RHODE ISLAND
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SW	2	2982		60	O/F		10	2		
0400	SW	1	2984		60	O/F		10	3		
0800	Calm		2986		64	O/F		10	3		
1200	SW	3	29.88		64	O/F		10	0		
1600	SW	3	29.88		62	O/F		10	0		
2000	SW	4	29.90		62	O/F		10	0		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1300	21	5800
EXPENDED	10	—	200
REMAINING	1290	21	5,600

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0000 Time Lighted 0000

FOG SIGNAL (Low visibility only)

RADIOBEACON (Low visibility and calibration time only)

FOG SIGNAL TIME START	FOG SIGNAL TIME STOP	SIGNAL OPERATED HR.	SIGNAL OPERATED MIN.	AIR PRES-SURE	RADIOBEACON TIME START	RADIOBEACON TIME STOP	LOW VISIBILITY AND FOG HR.	LOW VISIBILITY AND FOG MIN.	ANT. CUR.	CALIBRATION SERVICES REGULAR RADIOBEACON HR.	CALIBRATION SERVICES REGULAR RADIOBEACON MIN.	CALIBRATION SERVICES SPECIAL CALIB. BEACON HR.	CALIBRATION SERVICES SPECIAL CALIB. BEACON MIN.
0000	2400	24											
TOTAL FOR DAY		24			TOTAL FOR DAY								
TOTAL FOR MONTH		105	30		TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-CHECKED ALL VIS. A/N
0400-CHECKED ALL VIS. A/N
0800-MORNING COLORS, TURN TO
1000-SWITCH FOG HORN TO EMER. COMPRESSOR AND POWER ON STANDBY GEN. FOR ONE HOUR TEST RUN
1100-SWITCHED POWER TO SHORE POWER AND FOG HORN TO ELECT. COMPRESSOR
1105-C.G. 40522 ARRIVED THIS UNIT WITH SUTTON SN RETURN FROM LIBERTY
1110-WHITE EN-2DEPARTED ON LIBERTY
1200-CHOW
1230-TURN TO
1500-PUT STATION SMALL BOAT IN WATER C.G.16585
1630-SECURED STATION WORK
2020-EVENING COLORS

R. Sutton SN

CERTIFIED TO BE CORRECT

Vincent R. Roy
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD ROSE ISLAND LIGHT STATION

DATE 24 JUNE, 1961 (Insert day of week, day, month, year) LOCATION NEWPORT, RHODE ISLAND

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SW	2	29.90		62	OF	NS	10	0		
0400	SW	2	29.90		62	OF	NS	10	0		
0800	SW	2	29.92		62	OF	NS	10	0		
1200	SW	2	29.92		62	OF	NS	10	0		
1600	SW	2	29.94		73	BC	AS/ST	4	8		
2000	SW	2	29.96		63	BC	AS/ST	4	8		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1290	21	5,600
EXPENDED	5	—	200
REMAINING	1285	21	5,400

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 1400 Time Lighted 2000

FOG SIGNAL (Low visibility only)					RADIOBEACON (Low visibility and calibration time only)								
TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE	TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
										REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.				HR.	MIN.		HR.	MIN.	HR.	MIN.
0000	1400	14											
TOTAL FOR DAY		14			TOTAL FOR DAY								
TOTAL FOR MONTH		119	30		TOTAL FOR MONTH								

FOG SIGNAL TEST		RADIOBEACON TEST	
TIME START	TIME STOP	TIME START	TIME STOP

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-CHECKED VIS. A/N
0400-CHECKED VIS,A/N
0800-MORNING COLORS
1000-SWITCHED FOG HORN TO EMER. COMPRESSOR AND POWER TO STANDBY GEN. 1 hr. TEST
1100-SWITCHED POWER TO SHORE TIE AND FOG HORN TO ELECT. COMPRESSOR
HELD STATION INSPECTION
1130-SECURED FOR CHOW
1300-TURNED TO STATION WORK
1400-SECURED FOG HORN AND MAIN LIGHT AND GULL RKS. BELL
1600-CHECKED ALL VIS. A/N
1630-SECURED STATION WORK
2000-TURNED ON MAIN LIGHT
2020-EVENING COLORS

R. Sutton SA

CERTIFIED TO BE CORRECT

Vincent R. Roy
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD ROSE ISLAND LIGHT STATION

DATE 25 JUNE, 1961 **LOCATION** NEWPORT, RHODE ISLAND
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SW	2	29.96		74	BC	AS/ST	3	8		
0400	SW	2	29.96		76	BC	AS/ST	2	8		
0800	SW	2	29.96		76	BC	AS/ST	4	8		
1200	SW	2	29.98		76	BC	AS/ST	5	8		
1600	SW	2	30.02		76	BC	AS/ST	5	8	—	—
2000	SW	2	30.02		74	BC	AS/ST	5	8	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1285	21	5,400
EXPENDED	5	—	200
REMAINING	1280	21	5,200

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0500 Time Lighted 2000

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
2200	2400	2	-	
TOTAL FOR DAY		2		
TOTAL FOR MONTH		121	30	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START 0900 TIME STOP 1000

RADIOBEACON TEST

TIME START TIME STOP

(OVER)

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-CHECKED ALL VIS. A/N
0400-CHECKED ALL VIS. A/N
0500-SECURED MAIN LIGHT
0800-MORNING COLORS TURNED TO
0900-STARTED EMER. COMPRESSOR AND STANDBY GEN. FOR 1hr. TEST
1000-SECURED STATION MACHINERY MA
1130-SECURED FOR CHOW
1300-TURNED TO STATION WORK
1600-SECURED STATION WORK
2000-TURNED ON MAIN LIGHT
2019-COLORS
2200-STARTED FOG HORN AND GULL RKS. BELL

R. Sutton SA

CERTIFIED TO BE CORRECT

Vincent R. Roy
(Officer in Charge)

26

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD ROSE ISLAND LIGHT STATION

DATE 26 JUNE, 1961 (Insert day of week, day, month, year) LOCATION NEWPORT, RHODE ISLAND

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SW	2	3002		66	BC	AS/ST	5	8		
0400	SW	2	3002		66	BC	AS/ST	6	8		
0800	SW	2	3002		72	BC	AS/ST	6	8		
1200	SW	2	3000		80	BC	AS/ST	6	8		
1600	SW	2	3000		70	BC	NS	6	8		
2000	SW	2	3002		68	BC	NS	5	8		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1280	21	5,200
EXPENDED	10	—	100
REMAINING	1270	21	5100

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0500 Time Lighted 2000

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
0000	0400	4		
TOTAL FOR DAY		4		
TOTAL FOR MONTH		125	30	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START 0900 TIME STOP 1000

RADIOBEACON TEST

TIME START TIME STOP

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-CHECKED ALL VIS. A/N
0400-CHECKED ALL VIS. A/N SECURED FOG HORN AND GULL RKS. BELL
0500-SECURED MAIN LIGHT
0800-MORNING COLORS TURNED TO STATION WORK
1200- CHOW, WHITE EN-2 RETURNED FROM LIBERTY
1205-SUTTON SN DEPARTED ON LIBERTY
1230-TURNED TO STATION WORK
1600-SECURED STATION WORK
2000-TURNED ON MAIN LIGHT
2018-COLORS CHECKED ALL VIS. A/N

Vincent R. Roy

CERTIFIED TO BE CORRECT

Vincent R. Roy
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

27

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD ROES ISLAND LIGHT STATION

DATE 27 JUNE, 1961 (Insert day of week, day, month, year) LOCATION NEWPORT, RHODE ISLAND

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SW	1	3006		66	BC	AS	4	8		
0400	SW	1	3004		66	BC	AS	4	8		
0800	calm		3004		66	BC	AS	5	8		
1200	calm		3004		70	BC	AS	5	8		
1600	calm		3000		67	BC	AS	4	8		
2000	calm		3000		67	BC	AS	″	8		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1270	21	5100
EXPENDED	5		100
REMAINING	1265	21	5000

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0500 Time Lighted 2000

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH				

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START 0900 TIME STOP 1000

RADIOBEACON TEST

TIME START TIME STOP

(OVER)

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-CHECKED ALL VIS. A/N
0400-CHECKED ALL VIS. A/N
0500-SECURED MAIN LIGHT
0800-MORNING COLORS TURNED TO STATION WORK
0900-STARTED STATION MACHINERY
1000-SECURED STATION MACHINERY
1200-SECURED FOR CHOW
1230-TURN TO
1600-SECURED STATION WORK
2000-TURNED ON MAIN LIGHT
2018- COLORS

Vincent R. Roy

CERTIFIED TO BE CORRECT

Vincent R. Roy
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

28

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD ROSE ISLAND LIGHT STATION

DATE 28 JUNE, 1961 LOCATION NEWPORT, RHODE ISLAND
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	calm		3002		68	BC	AS/ST	8	8		
0400	S	1	3004		68	BC	AS/ST	8	8		
0800	S	1	3008		72	H	AS/ST	6	4		
1200	S	1	3008		76	H	AS/ST	5	7		
1600	SW	2	3008		72	BC	AS/ST	5	7		
2000	SW	2	3008		67	BC	AS/ST	5	7		

SUPPLIES (Vessel Report Daily)	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1265	21	5000
EXPENDED	5	–	100
REMAINING	1260	21	4900

COMPLEMENT	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0500 Time Lighted 2000

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
0700	1000	3		15
TOTAL FOR DAY		3		
TOTAL FOR MONTH				

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START 1000 TIME STOP 1100

RADIOBEACON TEST

TIME START TIME STOP

(OVER)

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-CHECKED ALL VIS. A/N
0400-CHECKED ALL VIS. A/N
0500-SECURED MAIN LIGHT
0700-STARTED FOG HORN MAIN LIGHT AND GULL RKS. BELL
0800-MORNING COLORS TURNED TO STATION WORK
1000-SECURED FOG HORN MAIN LIGHT AND GULL RKS. BELL
STARTED STATION MACHINERY
1100-SECURED STATION MACHINERY
SUTTON SN RETURNED FROM LIBERTY
1200-CHOW
1230-TURNED TOOSTATION WORK
1600-SECURED STATION WORK CHECKED ALL VIS. A/N
1750-ROY BM-1 DEPARTED ON LIBERTY
2000-TURNED ON MAIN LIGHT
2016-COLORS
2100-CALLED CASTLE HILL FORT ADAMS LIGHT INOPERATIVE
2130-FORT ADAMS LIGHT WATCHING PROPERLY

L G White

CERTIFIED TO BE CORRECT

Vincent R. Roy

(Officer in Charge)

24

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD ROSE ISLAND LIGHT STATION

DATE 29 JUNE, 1961 LOCATION NEWPORT RHODE ISLAND
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SW	2	3008		64	BC	AS/ST	5	7		
0400	SW	2	3008		62	oF	AS/ST	8	7		
0800	SW	2	3009		64	O/F	AS/ST	8	2		
1200	SW	2	3008		74	BC	AS/ST	6	8		
1600	SW	2	3004		71	BC	AS/ST	6	8		
2000	WSW	1	2999		68	BC	AS/ST	5	8		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1260	21	4900
EXPENDED	10	–	100
REMAINING	1250	21	4800

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 1000 Time Lighted 2000

FOG SIGNAL (Low visibility only) — **RADIOBEACON** (Low visibility and calibration time only)

FOG SIGNAL TIME START	FOG SIGNAL TIME STOP	SIGNAL OPERATED		AIR PRESSURE	RADIOBEACON TIME START	RADIOBEACON TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES REGULAR RADIOBEACON		CALIBRATION SERVICES SPECIAL CALIB. BEACON	
		HR.	MIN.				HR.	MIN.		HR.	MIN.	HR.	MIN.
0300	1000	7		15									
TOTAL FOR DAY		7			TOTAL FOR DAY								
TOTAL FOR MONTH		135	30		TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-CHECKED ALL VIS. A/N
0300-STARTED FOG HORN AND GULL RKS. BELL
0800-COLORS TURN TO STATION WORK
1000-SECURED FOG HORN MAIN LIGHT AND GULL RKS. BELL
1200-CHOW
1230-TURN TO
1600-SECURED STATION WORK
2000-TURNED ON MAIN LIGHT CHECKED ALL VIS, A/N
2017-COLORS

L Z White

CERTIFIED TO BE CORRECT

Vincent R. Roy
(Officer in Charge)

30

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD ROSE ISLAND LIGHT STATION

DATE 30 JUNE, 1961 (Insert day of week, day, month, year) LOCATION NEWPORT , RHODE ISLAND

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SSW	1	2999		66	BC	AS/ST	5	8		
0400	WSW	2	2994		66	BC	AS/ST	5	8		
0800	WSW	2	2990		68	BC	AS/ST	5	8		
1200	SW	1	2984		76	BC	AS/ST	5	8		
1600	SW	1	2978		72	BC	AS/ST	5	8		
2000	SW	1	2980		70	BC	AS/ST	5	8		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1250	21	4800
EXPENDED	15	–	100
REMAINING	1235	21	4700

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0500 Time Lighted 2000

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH				

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START 0700 TIME STOP 1000

RADIOBEACON TEST

TIME START TIME STOP

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-CHECKED ALL VIS. A/N
0400-CHECKED ALL VIS. A/N
0500-SECURED MAIN LIGHT
0800-MORNING COLORS TURNED TO STATION WORK
0900-STARTED STATION MACHINERY
1000-SECURED STATION MACHINERY
1200-CHOW 1230-
1230-TURN TO STATION WORK
1600-SECURED STATION WORK CHECKED ALL VIS A/N
2000-TURNED ON MAIN LIGHT
2016-EVENING COLORS

L G White

CERTIFIED TO BE CORRECT

Vincent R. Roy
(Officer in Charge)